

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) Windshield wiper device (10), for a motor vehicle, comprising a support (12), on which at least one bearing (18) is arranged, which supports at least one wiper shaft (22), characterized in that at least one retaining clip (20) detachably connects the bearing (18) to the support such that the bearing separates from the support in the event of an increased force on the wiper shaft due to impact with a pedestrian.
2. (Original) Windshield wiper device (10) according to Claim 1, characterized in that the support (12) has a receptacle (34) to accommodate the bearing (18).
3. (Previously Presented) Windshield wiper device (10) according to Claim 1, characterized in that the bearing (18) includes at least one tube.
4. (Cancelled)
5. (Original) Windshield wiper device (10) according to Claim 4, characterized in that the clip (20) grips around the bearing (18) at least partially in a radial fashion.
6. (Previously Presented) Windshield wiper device (10) according to Claim 1, characterized in that the support (12) has an at least partially flattened area (44) and the bearing (18) includes a plate (42) that is fastened on the flattened area (44) of the support (12).
- 7-9. (Cancelled)
10. (Previously Presented) Windshield wiper device (10) according to Claim 2, characterized in that the bearing (18) includes at least one tube.

11. (Cancelled)
12. (Previously Presented) Windshield wiper device (10) according to Claim 10, characterized in that the clip (20) grips around the bearing (18) at least partially in a radial fashion.
13. (Previously Presented) Windshield wiper device (10) according to Claim 12, characterized in that the support (12) has an at least partially flattened area (44) and the bearing (18) includes a plate (42) that is fastened on the flattened area (44) of the support (12).
- 14-16. (Cancelled)

17. (Currently Amended) Windshield wiper device (10), for a motor vehicle, comprising a support (12), on which at least one bearing (18) is arranged, which supports at least one wiper shaft (22), characterized in that at least one retaining clip (20) detachably connects the bearing (18) to the support such that the bearing separates from the support in the event of an increased force on the wiper shaft due to impact with a pedestrian, characterized in that the support (12) has a receptacle (34) to accommodate the bearing (18).

~~Windshield wiper device (10) according to Claim 2,~~ wherein the receptacle (34) is C-shaped in cross section and has an interior, wherein the bearing (18) is inserted into the interior of the C-shaped receptacle, and wherein the bearing is fixed in the receptacle by the at least one retaining clip and by a second retaining clip, the clips gripping partially around the receptacle such that the clips are detachable in the event of an impact with a pedestrian.